

# INGROUND ALU 5W STANDARD

## INGROUND SERIES



## INTRODUCTION

### SAVE ENERGY WITH PRECILUM

The INGROUND ALU series was designed for the most demanding customers who seek non standard solutions.

- Based on CREE® LEDs
- 230V AC
- Made of aluminum
- Power: 5W
- IP67
- 5 year warranty

## APPLICATIONS

### INGROUND ALU 5W STANDARD

The PRECILUM ALU STANDARD fixture can be used for lighting many places and objects such as:

- parks
- gardens
- terraces
- squares
- premises
- plants

## SPECIFICATION

LIGHT COLOUR	CONFORT WHITE	WARM WHITE	NEUTRAL WHITE	COOL WHITE
Colour Temperature *	2700 ± 150 K	3000 ± 150 K	4000 ± 250 K	5000 ± 250 K
Effective Lumen Output **	370 lm	370 lm	420 lm	420 lm
CRI	≥ 80			
Viewing Angle [FWHM]	25°, 45°			
Input Voltage	230V AC 50Hz			
Power Consumption	5 W			
Operating Temperature	-20°C ÷ +55°C			
Dimensions	Ø 92,16 mm			
Cable Type	H07RN-F 3G1			
Cable Length	0,5 m			
IP Rating	IP67			
Lifetime ***	≥ 60 000 h			

\* Other CCTs and colours available on request.

\*\* Source performance in real life conditions at Ta=25°C; includes optical losses; the tolerance of source lumen output is 5%.

\*\*\* Approximate lifetime of LEDs declared by Cree® at Ta=25°C (for 90% of initial light output) and other electronic components.


# INGROUND ALU 5W STANDARD

INGROUND SERIES

**PRECILUM**<sup>®</sup>  
SPECIAL LED LIGHTING SOLUTIONS


## DIMENSIONS [MM]

### ROUND FRONT



## ACCESORIES

### INGROUND STANDARD ABS




### INGROUND STANDARD ABS 2



## ELECTRICAL INSTALLATION

### CONNECTION

Connecting to the power supply should be done when the power supply is off.



## ORDER CODE FORMAT

### EXPLANATION

		<b>POWER</b>		<b>FWHM ANGLE</b>		<b>MATERIAL OF THE FRONT / BODY</b>						
		5		25 - 25 degrees 45 - 45 degrees		SA - Steel front and aluminium body						
<b>ALU STANDARD</b>	-	<b>5</b>	-	<b>VW</b>	-	<b>25</b>	-	<b>RD</b>	-	<b>SA</b>	-	<b>HV</b>
<b>FAMILY</b>				<b>CCT</b>		<b>FRONT PLATE</b>		<b>SUPPLY VOLTAGE</b>				
				VW - 2700K WW - 3000K NW - 4000K CW - 5000K		RD - Round		HV - 230V AC, 50Hz				

## ENVIRONMENTAL CAUTION

### CAUTION!



It is prohibited to dispose of obsolete and waste electrical and electronic equipment together with regular household wastes. They should be properly sorted and recycled. Old electrical and electronic equipment should be returned to a waste collection point established by a waste management service. Waste electrical and electronic equipment can be broken down to base materials and then recycled. For more information regarding waste management please contact your local authorities, waste management service or the seller of electrical and electronic devices.